

Single View for Evaluation ICP-OES



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Hg	0.00 µg/l	0.10 µg/l	-0.10	■	650	0.00	0.00
Se	0.00 µg/l	0.10 µg/l	-0.10	■	650	0.00	0.00
Cd	0.00 µg/l	0.10 µg/l	-0.10	■	650	0.00	0.00
Sn	0.00 µg/l	0.10 µg/l	-0.10	■	650	0.00	0.00
Sb	0.00 µg/l	0.10 µg/l	-0.10	■	650	0.00	0.00
As	0.00 µg/l	0.10 µg/l	-0.10	■	650	0.00	0.00
Al	0.00 µg/l	2.00 µg/l	-2.00	■	650	0.00	0.00
Pb	0.00 µg/l	0.10 µg/l	-0.10	■	650	0.00	0.00
Ti	0.00 µg/l	0.10 µg/l	-0.10	■	650	0.00	0.00
Cu	10.13 µg/l	0.10 µg/l	10.03	■	650	0.00	0.00

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Na	10099.00 mg/l	10700.00 mg/l	-601.00	■	650	0.00	0.00
Ca	417.60 mg/l	440.00 mg/l	-22.40	■	650	118.37	0.00
Mg	1185.00 mg/l	1370.00 mg/l	-185.00	■	650	3006.25	0.00
K	326.90 mg/l	400.00 mg/l	-73.10	■	650	609.17	0.00
Br	41.42 mg/l	62.00 mg/l	-20.58	■	650	0.00	0.00
B	0.92 mg/l	4.50 mg/l	-3.58	■	650	581.75	0.00
Sr	1.46 mg/l	8.00 mg/l	-6.54	■	650	531.38	0.00
S	648.70 mg/l	900.00 mg/l	-251.30	■	650	0.00	0.00

Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Li	54.83 µg/l	200.00 µg/l	-145.17	■	650	188.72	0.00
Ni	0.00 µg/l	5.00 µg/l	-5.00	■	650	32.50	0.00
Mo	0.00 µg/l	12.00 µg/l	-12.00	■	650	78.00	0.00

Single View for Evaluation ICP-OES



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
V	0.00 µg/l	1.20 µg/l	-1.20	■	650	0.78	0.05
Zn	20.33 µg/l	4.00 µg/l	16.33	■	650	0.00	0.00
Mn	0.00 µg/l	2.00 µg/l	-2.00	■	650	13.00	1.08
I	75.01 µg/l	60.00 µg/l	15.01	■	650	0.00	0.00

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Cr	0.00 µg/l	0.10 µg/l	-0.10	■	650	0.00	0.00
Co	0.00 µg/l	0.10 µg/l	-0.10	■	650	0.00	0.00
Fe	0.00 µg/l	0.10 µg/l	-0.10	■	650	0.00	0.00

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Ba	119.20 µg/l	10.00 µg/l	109.20	■	650	0.00	0.00

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Si	8.90 µg/l	100.00 µg/l	-91.10	■	650	0.00	0.00

Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
P	8.40 µg/l	6.00 µg/l	2.40	■	650	0.00	0.00
PO4	0.03 mg/l	0.02 mg/l	0.01	■	650	0.00	0.00