

Single View for Evaluation ICP-OES



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Hg	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00
Se	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00
Cd	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00
Sn	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00
Sb	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00
As	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00
Al	9.94 µg/l	2.00 µg/l	7.94		600	0.00	0.00
Pb	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00
Ti	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00
Cu	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Na	10017.00 mg/l	10700.00 mg/l	-683.00		600	0.00	0.00
Ca	570.80 mg/l	440.00 mg/l	130.80		600	0.00	0.00
Mg	1525.00 mg/l	1370.00 mg/l	155.00		600	0.00	0.00
K	334.90 mg/l	400.00 mg/l	-65.10		600	500.77	0.00
Br	70.99 mg/l	62.00 mg/l	8.99		600	0.00	0.00
B	1.25 mg/l	4.50 mg/l	-3.25		600	487.50	0.00
Sr	1.18 mg/l	8.00 mg/l	-6.82		600	511.50	0.00
S	638.80 mg/l	900.00 mg/l	-261.20		600	0.00	0.00





Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Li	84.70 µg/l	200.00 µg/l	-115.30		600	138.36	0.00
Ni	0.00 µg/l	5.00 µg/l	-5.00		600	30.00	0.00
Mo	0.00 µg/l	12.00 µg/l	-12.00		600	72.00	0.00




Single View for Evaluation ICP-OES




I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
V	0.00 µg/l	1.20 µg/l	-1.20		600	0.72	0.05
Zn	18.98 µg/l	4.00 µg/l	14.98		600	0.00	0.00
Mn	0.00 µg/l	2.00 µg/l	-2.00		600	12.00	1.00
I	138.80 µg/l	60.00 µg/l	78.80		600	0.00	0.00


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Cr	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00
Co	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00
Fe	0.00 µg/l	0.10 µg/l	-0.10		600	0.00	0.00



Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Ba	48.38 µg/l	10.00 µg/l	38.38		600	0.00	0.00

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
Si	107.30 µg/l	100.00 µg/l	7.30		600	0.00	0.00

Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter	Dosage once / mL	Dosage daily / mL
P	9.37 µg/l	6.00 µg/l	3.37		600	0.00	0.00
PO4	0.03 mg/l	0.02 mg/l	0.01		600	0.00	0.00