

Stuen, nyeste (2086C)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		1200
Se	0.00 µg/l	0 µg/l	-0.10		1200
Cd	0.00 µg/l	0 µg/l	-0.10		1200
Sn	0.00 µg/l	0 µg/l	-0.10		1200
Sb	0.00 µg/l	0 µg/l	-0.10		1200
As	0.00 µg/l	0 µg/l	-0.10		1200
Al	21.00 µg/l	2.00 µg/l	19.00		1200
Pb	0.00 µg/l	0 µg/l	-0.10		1200
Ti	0.00 µg/l	0 µg/l	-0.10		1200
Cu	0.00 µg/l	0 µg/l	-0.10		1200
La	0.00 µg/l	0 µg/l	-0.10		1200
Sc	0.00 µg/l	0 µg/l	-0.10		1200
W	0.00 µg/l	0 µg/l	-0.10		1200




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	10096.00 mg/l	10700.00 mg/l	-604.00		1200
Ca	467.00 mg/l	440.00 mg/l	27.00		1200
Mg	1258.00 mg/l	1370.00 mg/l	-112.00		1200
K	325.00 mg/l	400.00 mg/l	-75.00		1200
Br	37.00 mg/l	62.00 mg/l	-25.00		1200
B	3.99 mg/l	4.50 mg/l	-0.51		1200
Sr	4.52 mg/l	8.00 mg/l	-3.48		1200
S	591.00 mg/l	900.00 mg/l	-309.00		1200





Stuen, nyeste (2086C)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	195.00 µg/l	200.00 µg/l	-5.00		1200
Ni	0.00 µg/l	5.00 µg/l	-5.00		1200
Mo	4.61 µg/l	12.00 µg/l	-7.39		1200



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	1.05 µg/l	1.20 µg/l	-0.15		1200
Zn	0.00 µg/l	4.00 µg/l	-4.00		1200
Mn	0.00 µg/l	2.00 µg/l	-2.00		1200
I	0.00 µg/l	60.00 µg/l	-60.00		1200


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		1200
Co	0.00 µg/l	0 µg/l	-0.10		1200
Fe	0.00 µg/l	0 µg/l	-0.10		1200

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	23.00 µg/l	10.00 µg/l	13.00		1200
Be	0.00 µg/l	0 µg/l	-0.10		1200

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	450.00 µg/l	100.00 µg/l	350.00		1200

Stuen, nyeste (2086C)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	10.00 µg/l	6.00 µg/l	4.00	■	1200
PO4	0.031 mg/l	0.018 mg/l	0.013	■	1200